

CARBTR0L

WASHWATER RECYCLE AND TREATMENT SYSTEMS

(Models GCW-1c GCW-2c GCW-3c WTD-11 WTD-12)



Engineered systems provide:
** Best Available Technology*
** Recycling or Discharge*
** High Reliability and*
Low Maintenance

Typical Applications:

- * Golf Course Maintenance*
- * Vehicle Washing*
- * Equipment Cleaning*



Carbtrol Corporation

200 Benton St

Stratford, CT 06607

800.242.1150 - www.carbtrol.com

CARBTROL WASHWATER TREATMENT SYSTEM





PRIMARY COLLECTION SUMP

Dirty wash water collects in the primary sump. At water high level, the pump engages. During pumping, the water is vigorously agitated to ensure that grass, and dirt, do not accumulate in the sump.



TREATMENT SKID

Clarified water is pumped to a treatment unit where it is treated with granular activated carbon. Oxidation is provided as a polishing step where needed to meet treatment or recycle objectives objectives.



OIL WATER SEPARATOR / CLARIFIER

HYDROSCREEN AND GRASS CART

Dirty water is pumped from the primary sump to the solids separation hydroscreen. Grass trash and dirt are filtered by the screen and collected in a dump cart.

Filtered water is then discharged to the combination oil-water separator / clarifier where free hydrocarbons and fine solids are removed. Settled solids are dewatered in a sludge dewatering drum.